Obituary

SIR HANS KREBS, 1900–1981

Sir Hans Krebs, F.R.S., Nobel Laureate, died in Oxford on 22 November 1981. He was active both in the laboratory and on the world biochemical scene right up to his final short illness.

Sir Hans was born in Hildesheim, North Germany, the son of George and Alma Krebs. His father was a successful ear, nose and throat surgeon and he brought up his three children in the stern, somewhat Spartan mode characteristic of many German professional middle class families at that time. In the Krebs family the emphasis was on high standards of personal conduct, a good education, appreciation of music and literature, and a love of the countryside. Money was not spent on luxuries: the practice of thrift was seen as an essential part of the training for later life. These influences, tempered by the more liberal way of life of his later adopted country, remained with Sir Hans throughout his life.

He decided to follow his father's profession and after two months' service in the German Army at the end of the First World War he entered the University of Göttingen in December 1918 to study medicine. He transferred to the University of Freiburg in 1919 and it was here that his interest in research was aroused and, under the guidance of Wilhelm von Möllendorf, his first publication appeared in 1923 on the physico-chemical basis of histochemical staining. In Freiburg he also encountered Franz Knoop, Professor of Physiological Chemistry, who opened his eyes to what was later to become his life's work – intermediary metabolism. Continental students tended to move freely from one university to another during their training and Krebs moved successively to Munich and Berlin. By 1925 he was medically qualified and had decided to aim at becoming a practising clinician and to combine it with chemical and biochemical research as applied to medicine. Already his special talents were being recognized and led to his obtaining his first paid appointment as a research assistant to Otto Warburg at his Kaiser Wilhelm Institut für Biologie in Dahlem, Berlin, for the salary of 4800 marks per year (roughly £240). The year was 1926 and this marked the great turning point in his career. Dahlem was an international centre of scientific excellence and the list of staff and visitors who worked there reads like a *Who's Who* of the giants and the giants-to-be: Meyerhof, Theorell, Lipmann, Ochoa (to mention but four Nobel Laureates). It was Warburg, that towering genius of 20th century biochemistry, who exercised the greatest single influence on Krebs' future development as a scientist and a person. Krebs always acknowledged the immense debt that he owed to him and repaid this debt in the form of a biography of Warburg [*Otto Warburg (1883–1970)*. Oxford University Press, 1981]. He left Warburg in 1930 and took an appointment as Assistant in the Department of Medicine at a hospital in Altona (now part of Hamburg), and then moved a year later to an Assistantship with Thannhauser in the Department of Medicine, University of Freiburg. At Freiburg he had full clinical responsibility for more than forty patients, he also was free for the first time to carry out his own research. Warburg had trained him in the technique of tissue slice study and, of course, manometry. Tissue slices, consisting of thin layers of intact mammalian cells (perhaps twenty cells thick), enabled the biochemist to study the metabolism of intact cells in suspension with free gas exchange between them and the suspending medium; the Warburg manometer enabled their metabolism to be followed by, in modern jargon, a non-invasive technique. Thus for the first time mammalian biochemists had the equivalent of the washed suspension of cells long familiar to microbial biochemists. The inactivation of chopped or minced tissue preparations by lysosomal degradation or dilution-out of essential co-factors, which had dogged early investigations, could now be avoided. Krebs chose to apply these techniques to study the formation of urea in the liver. This combination of problem, tissue and technique is a fine, early example of Krebs' genius for picking a major problem that was now soluble by application of new techniques. Within 12 months he and a research student, Kurt

Henseleit, proposed for the first time a cycle of intermediary metabolism – the ornithine cycle of urea synthesis. This was a major discovery and immediately attracted international attention, not least by Sir Frederick Gowland Hopkins, Professor of Biochemistry at Cambridge, President of the Royal Society, and doyen of the English biochemists. At the same time the political situation in Germany was deteriorating, culminating in Hitler's accession to the Reich Chancellorship in 1933. On account of his Jewish parentage, Krebs was dismissed from his University post later that year. However, such was the impact of Krebs' discovery of the ornithine cycle that moves were made to bring him to England resulting in his arrival in Gowland Hopkins' department in June/July 1933 complete with £20 in smuggled bank notes, sixteen wooden boxes and suitcases containing Warburg manometers and biochemicals and a promise of one year's salary of £300 from the Rockefeller Foundation. Krebs settled into Cambridge very easily, in his own words '... the British way of life suited me down to the ground. For the first time I was living in a society virtually free from prejudice and permeated by a spirit of mutual respect and kindness'. Once again he was in a centre of scientific excellence surrounded by highly talented scientists – Marjory Stephenson, Joseph and Dorothy Needham, Malcolm Dixon, Robin Hill, N. W. Pirie, David Green, D. D. Woods, Ernest Baldwin and so on. He pursued further his studies on mammalian and avian nitrogen metabolism and introduced Warburg manometry for the first time to undergraduate classes.

His next move was to Sheffield in 1935 as a lecturer in pharmacology in the department of Professor E. J. Wayne; one of the principal attractions in this move was the prospect of more space in which to expand his research group. Within two years, with the help of a research assistant, W. A. Johnson, Krebs worked out the essence of one of the great central cycles of intermediary metabolism – the tricarboxylic acid cycle. In doing this he integrated his own new experimental work on pigeon breast muscle with previous work by Szent-Györgi, Stare & Baumann, and Martius & Knoop, and moulded the separate metabolic pieces into a complete cycle of great intellectual elegance in which some derivative of pyruvate entered the cycle and was totally oxidized to carbon dioxide. As with the ornithine cycle, the concept of an acceptor molecule being regenerated in cyclic fashion provided the key. It took a further 17 years for all the detailed steps to be elucidated by the combined work of several leading biochemical laboratories including Sheffield. The cycle was found to be widespread throughout the animal, plant and microbial world.

The Second World War seemed to have slowed down his fundamental research work but little, even though he became involved in the war effort. He collaborated with Dr Kenneth Mellanby (a Sorby Research Fellow of the Royal Society) in nutritional experiments performed by a remarkable group of about a score of conscientious objectors on themselves. They were housed in the so-called Sorby Research Institute in Sheffield and subjected themselves to experiments involving, for example, vitamin deprivation, exposure to scabies and effects of prolonged thirst (see Mellanby, K. *Human Guinea Pigs*. The Merlin Press, London, 1945 and 1973).

In the later years of the war the Medical Research Council offered to support a research unit to be formed under the directorship of Krebs. As a result the MRC Unit for Cell Metabolism Research was formed and enabled Krebs (now a Professor of Biochemistry in charge of a Department of Biochemistry at Sheffield) to form a team of personally selected collaborators on a long-term basis. This brought space problems and Krebs appealed to Sheffield University in 1951 to provide him with more, arguing that '... the scant space given to the Department (1/6th of the space available to Chemistry and 1/3rd of that available each to Zoology and Botany) suggests that the general importance of biochemistry as an academic subject has not been appreciated by the Sites and Building Committee'. (Add 30 years on to 1951, substitute microbiology for biochemistry, and you have a paragraph in current use by many heads of British microbiology departments). Sheffield responded by offering to convert for him part of the old Scala (pronounced Scāla in Northern patois) cinema, which was now being subject to pinocytosis by the expanding University. This conversion must surely rank as the masterpiece of a buildings department of great ingenuity and resource; with battle honours such as Victorian houses changed into academic departments, churches into theatres, secret wartime bunkers in the Pennines into wind tunnels, conversion of a cinema into a biochemistry department was 'all

SIR HANS KREBS

in a day's work'. Thus it came to be that behind a rococo facade of engaging ugliness on Western Bank was a biochemical counterpart to its operatic synonym in Milan, each of comparable eminence in their own spheres. Our modern planners have much to answer for in demolishing the Scala in 1964 rather than leaving at least its facade, like a Colosseum or Brandenburg Gate, to remind us of past glories. It was replaced by a little man sitting in a Lego box watching over a soulless car park. *Sic transit gloria mundi*.

Although most of Krebs' own work was done with animal tissue, he continually extended, and encouraged others to extend, these studies into the plant and microbial kingdoms; he recognized no demarcation lines in the study of living cells. Indeed, his interest in the furthering of microbial biochemistry led directly to the establishment of the Department of Microbiology at Sheffield. When Colin Beattie was appointed to the Chair of Bacteriology at Sheffield in 1946, Krebs convinced the University of the equal importance of science-based microbiology and then wrote to Sidney Elsdon, who was at that time with van Niel at Pacific Grove, to ask him if he would be interested in developing this subject at Sheffield. Fortunately for Sheffield, Sidney came (in 1948, first as a Senior Lecturer in Microbiology in the Bacteriology Department) and from these beginnings started building up a Microbiology Department which has, ever since, been strong in microbial biochemistry.

The brilliance of Krebs' work received its proper recognition when he shared the Nobel Prize for Medicine with Fritz Lipmann in 1953 (both these men were colleagues in Warburg's laboratory in 1927–30). A year later in 1954 (Scala notwithstanding) he moved to Oxford as Whitley Professor of Biochemistry. He was now at the height of his powers, well-funded from many sources, in particular long-term and enlightened funding from the Rockefeller Foundation and the Medical Research Council (and later the United States Public Health Service) and backed up by his own personal and mobile MRC Unit of twelve people. He accomplished the fusion of his MRC Unit into the academic department at Oxford with skill and tact, distributing groups throughout the department so as to achieve cross-fertilization of interests, techniques and personalities.

Krebs held the Whitley Chair for 13 years until his retirement in 1967. During this time he achieved much in the wider development of biological science in Oxford; with funding from the firm of Guinness he established a second professorship in his department in the form of the Iveagh Chair of Microbiology with D. D. Woods as its first holder. Woods built up a Sub-Department of Microbiology which attracted talented scientists from many countries and several members of it have since gained professorships elsewhere: June Lascelles (California), Gareth Morris (Aberystwyth), John Guest (Sheffield), John Postgate (Sussex) and Barry Holland (Leicester). With initial funding from the Medical Research Council and Rockefeller Foundation a joint effort by Krebs, Dorothy Hodgkin and John Pringle resulted in the establishment of a Chair in Molecular Biophysics, housed in the Department of Zoology, the first holder being D. C. Phillips of the Royal Institution. The establishment of this chair coincided with the spectacular solution by Phillips' group of the first three dimensional structure of an enzyme, lysozyme. With Phillips' arrival the scene was set for the building up in later years of the world-famous Oxford Enzyme Group, now one of the world's leading centres in biophysics. In addition to all this activity Krebs pursued his own researches, further built up his MRC Unit and was knighted (1958).

The complete elucidation of the tricarboxylic acid cycle led to the recognition that not only was this a terminal catabolic cycle leading to the total oxidation of most foodstuffs via acetyl-CoA but it was also an anabolic cycle from which some intermediary metabolites were withdrawn for biosynthesis. Since the intermediary metabolites of any cycle only function catalytically, their drainage would bring the cycle to a halt. Thus there had to be a net replacement mechanism for them. In the case of carbohydrate metabolism, $C_3 + CO_2$ fixation reactions leading to C_4 -dicarboxylic acid synthesis served this function. However, some micro-organisms could grow on C_2 -compounds such as acetate, using the tricarboxylic acid cycle for both energy production and biosynthesis. How was the cycle replenished in this case? The problem was attacked by Hans Kornberg, then a member of the MRC Unit, and in collaboration with Krebs a third major cycle was discovered, the glyoxylate cycle, in which acetate molecules were converted in net fashion into succinate. This led Kornberg into a general investigation of growth of micro-organisms on other C_2 -compounds; from such investigations the 'topping up' of a cyclical metabolic sequence was recognized as a general requirement for much intermediary metabolism and a new and apt term was coined to describe it – anaplerosis.

As the date of Krebs' retirement in 1967 approached, most senior members of his MRC Unit moved elsewhere. Krebs received many different offers, from laboratories in this country and

abroad, of 'retirement' bench space. He chose to stay in Oxford and moved into 2000 square feet of laboratory space in the Nuffield Department of Medicine in the Radcliffe Infirmary, together with a nucleus of staff of long standing: Derek Williamson, Patricia Lund, Len Eggleston, Reg Hems, four junior technicians and a secretary. On his retirement the members of the Editorial Board of the *Biochemical Journal* sent him their good wishes for his retirement; in his letter of reply he thanked the Board for their wishes and expressed the hope that he would keep them busy in the years to come. He was true to his word: over 100 papers were published from the Nuffield laboratory between 1967 and his death, mostly on regulation of mammalian intermediary metabolism.

What was Sir Hans like to work with? He was a hard taskmaster who set the highest scientific standards by precept. He expected excellence and dedication from his staff as a matter of course and not as a matter for praise. Those who did not measure up to his standards were not discouraged from moving elsewhere. His constant exhortation to his staff was that they must establish themselves as independent investigators and to do this, time spent on administration, writing of books, swanning around the world's laboratories and conferences or treading towards the corridors of power had to be ruthlessly rationed between the important and less important. Once again he set an example for others to follow. He did not construct his departments and research unit on a pyramidal structure, instead he kept a research group of half-a-dozen or so working on his own particular problems, while the remainder developed their own research fields under his general guidance, in the case of the MRC Unit with the splendidly wide remit of 'Cell Metabolism'. He was meticulous over the presentation of papers and was prepared to spend much time helping his staff towards attaining his own standard. Going over one's draft manuscripts with him was neither a restful experience nor, except on very rare occasions, a period for congratulation, particularly when he drew out from his desk a blue pencil of quite alarming proportions.

He had a singular sense of humour. It could not be predicted with any certainty what would appeal to it. An attempted joke that did not appeal left the putative joker discomfited under his puzzled gaze. On the other hand, when his sense of humour was touched the effect could be spectacular. Sometimes immediately, sometimes after a short period of induction, uncontrollable mirth could result, ending up with ocular mopping. The point could be a simple one, thus I remember catastrophic mirth as he cited to Hans Kornberg and myself an example of a poor classification system as applied to hats – three kinds, tall hats, black hats and straw hats.

His personal life centred on his home; his wife, Lady Margaret Krebs, and their three children provided the quiet, supportive background essential for his dedication to science and scholarship.

His life's work, published in over 360 publications, spanned a whole era of biochemistry, namely, the elucidation of the major part of central intermediary metabolism and its regulation. The fact that most of his work was done with animal tissue in no way lessened its importance for plant and microbial biochemists because many of the problems he chose were the big, central ones common to all kinds of living cell. Perhaps his greatest contribution to biological science as a whole was his discovery of the concept of metabolic cycles, how to recognize them, how to establish them unequivocally, and how to delineate and assess their physiological function. The Society for General Microbiology, of which he was an Original Member and which elected him to Honorary Membership in 1980, can feel privileged that one of his last appearances on the conference platform was in 1981 at the September meeting of the Society, in which he participated in the symposium on 'Molecular and Cellular Aspects of Microbial Evolution'. In his paper on 'The Evolution of Metabolic Pathways' Sir Hans explored the biochemical and bioenergetic factors which have probably determined whether a given metabolic sequence has evolved as a linear one or a cyclic one.

In conclusion, in writing this article I was struck by an anecdote in the early part of his autobiography (Hans Krebs. *Reminiscences and Reflections*. Clarendon Press, Oxford, 1981) where he describes an essay of his own choice which he wrote as a schoolboy: 'The subject I chose (after discussing it with my father) was "On whom does history confer the title, 'The Great'?" I had in mind in the first instance Alexander, Charlemagne and Frederick. On

searching through history books I found only a few more, among them Alfred.' Little did this schoolboy know at the time that some 65 years later, the scientific world would have no hesitation in adding his name to the four which he listed.

J. R. QUAYLE